


Manufacturer Eaton
Model LD6A20D010TE
Description 6 in Downlight
Driver Eaton
Nominal Power (W) 11w-40w
Control Current 250-1050
Dimming Control 0-10v
Product Range -
Test Date -

10/4/2016 10/5/2016 10/5/2016 10/5/2016 10/4/2016

| Dimmer Tested Against: | 11W | 15W | 21W | 30W | 40W |
|--|-------|-------|-------|-------|-------|
| Pass/Fail | Pass | Pass | Pass | Pass | Pass |
| Best-Fit Power Profile: | | | | | |
| Minimum ON | 0 | 1.4 | 0 | 0 | 0 |
| Maximum ON | 6.95 | 6.9 | 6.9 | 6.85 | 6.85 |
| Adjust | 80 | 100 | 75 | 90 | 90 |
| Light Output Range (vs. non-dimmed) | | | | | |
| Maximum (Perceived) | 95.0% | 95.0% | 95.1% | 95.1% | 95.0% |
| Minimum (Perceived) | 18.4% | 34.3% | 16.7% | 26.3% | 20.8% |
| Minimum (Measured) | 3.4% | 11.8% | 2.8% | 6.9% | 4.3% |

Linearity Curves (Best-fit Power Profile Applied):



Observations:

Flicker caused the 15w driver Min to be higher

bgk

